

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 08:23
S2	22	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (parameter)) and (request\$4 near11 (parameter data information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:36
S3	4	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (parameter)) and (request\$4 near11 (parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/24 15:37
S4	2	((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 adj chamber\$4) and (ack\$4 acknowledg\$6 (connect\$5 near11 messag\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 09:13
S5	39	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 10:15

S6	96	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 15:02
S7	114	((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 adj chamber\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 16:58
S8	97	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 15:59
S9	48	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 15:50
S10	113	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 15:52

S11	216	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:09
S12	16	((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 adj chamber\$4) and (measur\$4 near11 (data information parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/25 16:59
S13	602	(process\$5 near2 chamber\$4) and network\$4 and sensor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:07
S14	0	(process\$5 near2 chamber\$4) and network\$4 and (sensor\$4 near11 (ack\$5 acknowledg\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 09:23
S15	19	(process\$5 near2 chamber\$4) and network\$4 and (sensor\$4 and (ack\$5 acknowledg\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 15:06
S16	11	(sensor\$4 near11 (mac ip (internet adj protocol\$4) (media adj access) address\$4)) and (process\$5 adj chamber\$4) and (mac ip (internet adj protocol\$4) (media adj access) address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 09:48
S17	450	sensor\$4 near11 (ip (internet adj protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 09:54
S18	19	sensor\$4 same (internet adj protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 09:54
S19	226	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 12:19

S20	145	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and (sensor\$4 near11 (transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:18
S21	781	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 request\$4) same sensor\$4) and (sensor\$4 near11 (transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:19
S22	364	((comput\$5 server workstation) same sensor\$4 same (ack\$4 acknowledg\$7 request\$4)) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and (sensor\$4 near11 (transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:26
S23	1	((comput\$5 server workstation) same sensor\$4 same (ack\$4 acknowledg\$7 request\$4)) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and (sensor\$4 near11 (transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7))) and (chamber near process\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:27
S24	110	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and (sensor\$4 near11 (transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7)) and (chamber near process\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:28

S25	8	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and (sensor\$4 near11 (transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter measur\$7)) and (chamber near process\$6) and (ack\$4 acknowledg\$7 request\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/26 10:31
S26	112	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 09:00
S27	110	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 09:02
S28	123	((comput\$5 server workstation) same (devic\$4 sensor\$4)) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 09:04
S29	153	((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 10:27

S30	48	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 10:16
S31	107	((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4)) and ((monitor\$4 track\$4) near11 (path connect\$6 transmi\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 10:36
S32	140	((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 tcp/ip ip mac acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4)) and ((monitor\$4 track\$4) near11 (path connect\$6 transmi\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:18
S33	165	((computer server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4) near11 sensor)) and (process\$5 adj chamber\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:30
S34	24	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and (sensor\$4 same ((tabl\$4 database (data adj base)) near6 (transmi\$7 transfer\$6 send\$4 forward\$4 receiv\$5 request\$6)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 12:25

S35	51	((ack\$4 acknowledg\$7) same sensor\$4) and (sensor\$4 same ((tabl\$4 database (data adj base)) near6 (transmi\$7 transfer\$6 send\$4 forward\$4 receiv\$5 request\$6)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 13:58
S36	16	((computer server workstation) same sensor\$4)) and (process\$5 near8 chamber\$4) and ((ttl (tim\$4 adj2 liv\$4) initializ\$7 date dating) near11 sensor\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 13:58
S37	8	((ack\$4 acknowledg\$7) same sensor\$4) and (sensor\$4 same ((tabl\$4 database (data adj base)) near6 (transmi\$7 transfer\$6 send\$4 forward\$4 receiv\$5 request\$6)))	US-PGPUB	OR	ON	2003/03/28 14:00
S38	12	((computer server workstation) same sensor\$4)) and (process\$5 near8 chamber\$4) and ((ttl (tim\$4 adj2 liv\$4) initializ\$7 date dating) near11 sensor\$4) and (databas\$4 tabl\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 14:00
S39	429	((computer server workstation) near11 sensor\$4) and ((pluralit\$5 multipl\$4) near11 sensor) and ((initializ\$7 date tim\$4 dating) near5 sensor\$4 near5 (transmi\$7 transfer\$6 send\$4 forward\$4 receiv\$5 request\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 14:32
S40	1	((process\$5 near2 chamber\$4) near11 sensor\$4) and ((initializ\$7 date tim\$4 dating) near11 sensor\$4 near11 (transmi\$7 transfer\$6 send\$4 forward\$4 receiv\$5 request\$6) near11 (computer server workstation))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/28 15:10
S41	196	((send\$4 forward\$4 transmi\$7 transfer\$7) adj11 (table database list\$4) adj11 sensor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/25 16:30
S42	1884	(process\$5 near2 chamber\$4) and network\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/25 16:33
S43	30	((process\$5 near2 chamber\$4) and network\$4) and (((send\$4 forward\$4 transmi\$7 transfer\$7 receiv\$4) same sensor same (table database list\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/25 16:45

S44	98	((ip mac) near3 address\$4 near5 (sensor prob\$4)) and (database table list\$4) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/25 17:08
S45	14	((ip mac) near3 address\$4 near5 (sensor probe probing)) and (database table list\$4) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/25 17:19
S46	183	"709"/\$.ccls. and (sensor\$4 same (database list\$4 table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 11:18
S47	86	"709"/\$.ccls. and (sensor\$4 same (database list\$4 table) same (send\$4 forward\$4 transmi\$7 transfer\$6 receiv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 13:10
S48	17	"709"/\$.ccls. and (sensor\$4 same (database list\$4 table) same (send\$4 forward\$4 transmi\$7 transfer\$6 receiv\$4)) and (sensor near4 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 14:24
S49	252	(sensor\$4 same (database list\$4 table) same (send\$4 forward\$4 transmi\$7 transfer\$6 receiv\$4)) and (sensor near4 address\$4) not "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 14:25
S50	82	(sensor\$4 with (database list\$4 table) with (send\$4 forward\$4 transmi\$7 transfer\$6 receiv\$4)) and (sensor near4 address\$4) not "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 14:36
S51	174	((user client member computer subscriber) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4)) and (snmp agent) and (709/202 709/203). ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 16:51
S52	85	((user client member computer subscriber) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4)) and ((server prox\$4) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4)) and (snmp agent) and (709/202 709/203). ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 16:54

S53	53	((user client member computer subscriber) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4)) and ((server prox\$4) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4)) and (snmp agent) and (709/202 709/203). ccls.) and (monitor\$4 alarm\$4 sensor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 16:54
S54	61	((user client member computer subscriber) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4) same (server prox\$4)) and (snmp agent) and (709/202 709/203).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 16:54
S55	72	(router same power\$4) and ((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.)	USPAT	OR	ON	2003/08/27 13:01
S56	2	((router same power\$4) and ((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)) and sensor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/27 13:27
S57	193	((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)	USPAT	OR	ON	2005/10/16 21:33
S58	92	(national.as. adj instrument.as.) and sensor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 12:51
S59	120	(national.as. adj instrument.as.) and daq	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:23
S60	14	(national.as. adj instrument.as.) and daq and ("709"/\$ "703"/\$). ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:23
S61	5	(national.as. adj instrument.as.) and daq and ("709"/\$ "703"/\$). ccls. and sensor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:23

S62	80	(router same power\$4) and ((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4))	USPAT	OR	ON	2004/08/18 11:23
S63	14	((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)) and sensor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:24
S64	23	(router same power\$4) and ((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)	USPAT	OR	ON	2004/08/18 11:24
S65	35	((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((server prox\$4) same (transfer\$6 transmi\$7 send\$4 forward\$4 receiv\$4 request\$4) same (database table list\$4 chart) same sensor) and (database table list\$4 chart) and sensor	USPAT	OR	ON	2004/08/18 11:24
S66	90	((user client member computer subscriber) with (transmi\$7 transfer\$7 forward\$4 send\$4 request\$4 receiv\$4) adj6 (database table list\$4) same (server prox\$4)) and (snmp agent) and (709/202 709/203).ccls.) and (monitor\$4 alarm\$4 sensor)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/18 11:24
S67	290	((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)	USPAT	OR	ON	2005/02/18 19:26
S68	16	((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)) and sensor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 19:26

S69	42	((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((server prox\$4) same (transfer\$6 transmi\$7 send\$4 forward\$4 receiv\$4 request\$4) same (database table list\$4 chart) same sensor) and (database table list\$4 chart) and sensor	USPAT	OR	ON	2005/10/16 21:32
S71	3	((router same power\$4) and ((709/202 709/203 709/220 709/227 709/228 "702"/\$).ccls.) and ((database table list\$4 chart) same (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same router)) and sensor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 19:27
S75	8	"709"/\$.ccls. and ("plug-in-play" (plug\$4 near4 play)) and ((comput\$5 server workstation) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) with (protocol parameter) same connect\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 08:28
S76	86	("plug-in-play" (plug\$4 near4 play)) and ((comput\$5 server workstation) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) with (protocol parameter) same connect\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 08:30
S78	86	("plug-in-play" "plug-n-play" (plug\$4 near4 play)) and ((comput\$5 server workstation) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) with (protocol parameter) same connect\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 09:08
S79	73	S78 not metrologic.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 09:09

S80	39	(US-6133845-\$ or US-6510350-\$ or US-6225901-\$ or US-6240335-\$ or US-4645348-\$ or US-5432754-\$ or US-6292108-\$ or US-5621662-\$ or US-6493756-\$ or US-6362737-\$ or US-6454708-\$ or US-6535123-\$ or US-RE35793-\$ or US-5301122-\$ or US-6501377-\$ or US-6515586-\$ or US-6392692-\$ or US-6204768-\$ or US-6233492-\$ or US-5977913-\$ or US-6446192-\$ or US-6425006-\$ or US-6424989-\$ or US-6411994-\$ or US-6374296-\$ or US-5701481-\$).did. or (US-6138241-\$ or US-5864669-\$ or US-6157867-\$ or US-6054277-\$ or US-5831851-\$ or US-6279724-\$ or US-6359264-\$ or US-5937365-\$ or US-5293571-\$ or US-6370454-\$ or US-6226372-\$ or US-6370448-\$ or US-5122976-\$).did.	USPAT	OR	ON	2005/10/16 16:00
S81	37	S80 and (type parameter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 00:20
S82	37	S80 and (type parameter specification)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 16:37
S83	28	S80 and ((type parameter specification) with (receiv\$4 send\$4 forward\$4 transmi\$6 transfer\$6 request\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 16:37
S85	805	(709/202,203,220,227,228 "702"/\$).ccls. and ((type specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 21:41
S86	164	(709/202,203,220,227,228 "702"/\$).ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 21:43
S87	164	"702"/\$.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 22:02

S88	176	(709/202,203,220,227,228.ccls. "702"/\$.ccls.) and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 21:43
S89	12	709/202,203,220,227,228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 21:44
S90	28	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 22:08
S91	177	Lam.as. and sens\$1r	USPAT	OR	ON	2005/10/16 21:46
S92	75	Lam.as. and sens\$1r and @ad<="20000330"	USPAT	OR	ON	2005/10/16 21:50
S93	5	("702"/\$ "709"/\$.ccls. and Lam. as. and sens\$1r and @ad<="20000330"	USPAT	OR	ON	2005/10/16 21:50
S94	114	"702"/\$.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r) and @ad<="20000330"	USPAT	OR	ON	2005/10/16 22:14
S95	2	702/31,32.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 22:07
S96	5	("20030003127" "20030120164" "5465082" "5867821" "6440071").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/16 22:05
S97	0	S96 and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same sens\$1r)	USPAT	OR	ON	2005/10/16 22:06
S98	1	S96 and (type with (information data specification parameter)) and sens\$1r	USPAT	OR	ON	2005/10/16 22:07
S99	3	S96 and (type with (information data specification parameter)) and monitor\$4	USPAT	OR	ON	2005/10/16 22:07

S10 0	1	702/31,32.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same monitor\$4)	USPAT	OR	ON	2005/10/16 22:07
S10 1	280	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same monitor\$4)	USPAT	OR	ON	2005/10/16 22:08
S10 2	122	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) with monitor\$4)	USPAT	OR	ON	2005/10/16 22:26
S10 3	0	709/202,203,220-228.ccls. and ((type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) with monitor\$4) same (initial\$6 near\$4 connect\$4))	USPAT	OR	ON	2005/10/16 22:09
S10 4	12	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) with monitor\$4) same agent	USPAT	OR	ON	2005/10/16 22:10
S10 5	69	"702"/\$.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) with sens\$1r) and @ad<="20000330"	USPAT	OR	ON	2005/10/16 22:14
S10 6	67	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same (sens\$1r monitor\$4)) and (plug\$6 plug-in-play plugin plugin-play)	USPAT	OR	ON	2005/10/16 22:28
S10 7	67	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same (sens\$1r monitor\$4)) and (plug\$6 plug-in-play plugin plugin-play (plug\$4 near\$2 play\$4))	USPAT	OR	ON	2005/10/16 22:31

S10 8	59	"702"/\$.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same (sens\$1r monitor\$4)) and (plug\$6 plug-in-play plugin plugin-play (plug\$4 near2 play\$4))	USPAT	OR	ON	2005/10/16 22:32
S10 9	12	709/202,203,220-228.ccls. and (type with (information data specification parameter) with (transmi\$7 transfer\$7 send\$4 forward\$4 receiv\$4 request\$4) same (sens\$1r)) and (plug\$6 plug-in-play plugin plugin-play (plug\$4 near2 play\$4))	USPAT	OR	ON	2005/10/16 22:31